Bureau of Sanitation Department of Public Works City of Los Angeles

SFUND RECORDS CTR 2166-92799

BASELINE MONITORING REPORT (BMR) FOR THE

		ELECTROPLAT	ring and metal fi	NISHING	POINT	SOURCE	CATEGORIE		IND RECORDS CT
1.	þ.	Check one:	Electroplater [Metal Finisher] d.	Subcat	egory	A,D & E	. '	88141935
	c.	Check one:	Electroplater a Job Shop Capt IPCBM	nd Meta	l Finis	her XX	·		
	e.	Check one:	Integrated faci Non-integrated						
2.	Comp	pany Name: Be	ndix Electrodynamic	s	Tel:	(818)	765-1010		
3.	Plan	nt Address <u>l</u>	1600 Sherman Way						·
			No. Street				Unit		
4	Nort	th Hollywood,	California				91605		
	City	7	State				Zip Co	de	
4.	Mail	ling Address	(if different)_	SAME				·	
5.	Cont	act Person	R. Slatterbeck	T j	itle <u>P</u>	lant En	gineer	·	
6.	proc	reed to answ	y exempt from cor er all questions 16.	below.	this E	BMR? Ye	s No	<u>XX</u> • n(s) w	If "No", hy, and
									
7.	Othe	er Environme	ntal Control Perm						<u></u> _
		•	08325334	·					
3 . [esc	ribe briefl	y the products pr	oduced	and man	ufactu	ring proce	ess.	
	Hydra	ulic & pneuma	tic servo actuators	& valves	. For t	he comme	ercial and m	ilitary	/ Aerospace
	Indus	try. Metal re	emoval, fitting of c	:omponent	s into a	n assemb	oly, and sim	ulation	testing.
٠.	Prod	uction Rate	Variable 📸 👑	المع عوالا	10	. sic	Code 37	28	
1.	all :	lity Diagram regulated pr r system.	n: Attach a copy cocess, including	of you points	r facil of dis	ity flocharge	ow schemat to the sa	ic dia	agram of

	Regulated Process (Type)	Daily Average (gal/day)	Daily Maximum (gal/day)	Estimated(E) or Measured(M)
	SUB CAT. A,D,& E	7,800	8,800	E* See Below
	Non-Regulated Process(Type)	Daily Average (gal/day)	Daily Maximum (gal/day)	Estimated(E) or Measured(M)
	NONE	0		
13.	Measurement of Pol sampling and analy streams including	sis during norma	l working hours	t results from the of all regulated process
	 b. Frequency of so c. Time, date and d. Method of analy e. Comparison of f. If alternate 1: 	amples sampling location ysis results with appl	on licable pretreat oined wastestrea	grab) See Attachments tment standards am) are calculated,
14.	Certification: Are a consistent basis			ur industry being met on
15.		required for thi	is facility to m	retreatment and/or operations neet pretreatment standards? ; compliance:
			·	
. 🜘	If "Yes", attach a operations and mair dates for commencem construction and operations.	ntenance to gain ment and completi	compliance and on of events le	include schedule of ading to the
16	I have personally e	examined and am f	amiliar with th	e information

* Calculated by method of Rinse Tank Pump Rated Volume (1300GPH @ 10' Head) x number of operating hours per day (20) x % of pump on-time of typical work day (3 minutes on - 7 minutes off). 1300 x 30% = 7,800 GPD.

ANALYTICAL LABORATORIES

LOG NO: P84-05-038

RECEIVED: 02 MAY 84 REPORTED: 21 MAY 84

EENDIX CORP. ELECTRODYNAMICS DIV. 11600 SHEEMAN WAY NORTH HULLYWOOD, CA 91605

ATTN: H.A. AFMSTRONG

REPORT OF AMALYTICAL RESULTS

OG NO SAMPLE DESCRIF	TION, WASTEWATER SAMPLES	DATE SAMPLED		
5-0 NORTH HOLLYWOO	DD MONTHLY WASTEWATER	02 MAY 84		
ABANETER	05-036-1			
H, Units yanide, mg/L itric Acid Digestion, Dat opper, mg/L admium, mg/L hromium, mg/L ead, mg/L ickel, mg/L	7.7 2.0 NS AV. e 5/7/84 1.7 0.19 3.3 <0.11 <0.13			

Edward Wilson

Laboratory Director




BROWN AND CALDWELL

CONSULTING ENGINEERS

ANALYTICAL SERVICES DIVISION

373 SOUTH FAIR OAKS AVE. PASADENA, CA 91105 PHONE (818) 795-7553 (213) 681-4655



Log No P84-04-040

04-04-84

Date Sampled
Date Received
Date Reported

04-04-84
04-04-84
04-25-84

Bendix Corporation Electrodynamics Div. 11600 Sherman Way North Hollywood, CA 91605

Reported To:

ATTN: Mr. H. A. Armstrong

Laboratory Director

		Sample Description							
-040-1 Monthly Waster	onthly Wastewater								
									
		-							
	Concentrat	ion mg/L		. tegerrie is e	· · · · · · · · · · · · · · · · · · ·				
	04-040-1								
(units)	7.0	Note Ro	inge	7.5	- 10.0				
nide	<0.02	οK					ļ. 		
pe <u>r</u>	0.52	014	<u> </u>						
m •	0.72	ok			ـ د. د ـ د	: ·- 	!		
omiu <u>m</u>	2.9	OK	! 			·	<u> </u>		
d	<0.18	<u> </u>	<u> </u>		-				
kel	<0.13	NZ	: 		,		: 		
		<u>.</u>	i			:			
			:						
		-					1		
	i		1						
							:		
		<u> </u>	1	 !					
	-					1			
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<u> </u>			